L Number	Hits	Search Text	DB	Time stamp
6	2	("5065364" "5095461").PN.	USPAT	2004/08/04
8	78	kobayashi.in. and 365/230.03,63,51,185.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/04 12:50
9	145	kobayashi.in. and 365/230.03,63,51,185.11,200,201,230.06,51.	IBM_TDB USPAT; cusepgpub; EPO; JPO; DERWENT;	2004/08/04 12:51
10	8	kobayashi.in. and 365/230.03,63,51,185.11,200,201,230.06,51. and (three with row\$1) same (three with column\$)	IBM_TDB USPAT; cusspGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/04 12:52
28	47	365/230.03,63,51,185.11.ccls. and array\$1 and block\$1 and segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/04 13:17
66	55	<pre>(memory with array\$1) and (three adj row\$1) and (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/04 13:24
-	282	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and ((MDL or (data adj line\$1)) or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/11 14:13
_	656	(multiple\$1 with nine with bit\$1)) 365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/11 13:39
_	373	365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/11 13:40
-	106	(365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:36
-	1	(((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 13:42
_	81	bit\$1))) and sa same activat\$4 same arrays ((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3 and bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 14:02

-	31	((365/230.03,63,51,185.11.ccls. and	USPAT;	2004/06/12
		(array\$1 with even) and (array\$1 with	US-PGPUB;	12:50
		block\$1)) and	EPO; JPO;	
		(365/230.03,63,51,185.11.ccls. and ((SA	DERWENT;	
		or (sense adj amplifier)) and (WD or	IBM_TDB	
		(write adj driver))))) and (MDL or (data		
		adj line\$1) or (multiple\$1 with bit\$1))		
	282	and activat\$3 and block\$1 and segment\$1	USPAT;	2004/06/11
-	202	365/230.03,63,51,185.11.ccls. and	US-PGPUB;	14:13
		(array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1)	EPO; JPO;	14.13
		and (MDL or (data adj line\$1) or	DERWENT;	
		(multiple\$1 with nine with bit\$1))	IBM TDB	
_	53	(365/230.03,63,51,185.11.ccls. and	USPAT;	2004/06/11
		(array\$1 with even) and (array\$1 with	US-PGPUB;	14:14
		block\$1) and (control\$3 with signal\$1)	EPO; JPO;	
		and (MDL or (data adj line\$1) or	DERWENT;	
		(multiple\$1 with nine with bit\$1))) and	IBM TDB	
l		(array\$1 with block\$1 and segment\$1)	1011_100	
_	321		USPAT;	2004/06/11
	521	33 and (mulciples hears bicy)	US-PGPUB;	14:15
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
_	53	((365/230.03,63,51,185.11.ccls. and	USPAT;	2004/06/11
		(array\$1 with even) and (array\$1 with	US-PGPUB;	14:15
		block\$1) and (control\$3 with signal\$1)	EPO; JPO;	
		and (MDL or (data adj line\$1) or	DERWENT;	ļ.
		(multiple\$1 with nine with bit\$1))) and	IBM TDB	l i
		(array\$1 with block\$1 and segment\$1)) and	_	
		bit\$1		<u> </u>
-	44	((365/230.03,63,51,185.11.ccls. and	USPAT;	2004/06/11
		(array\$1 with even) and (array\$1 with	US-PGPUB;	14:16
		block\$1) and (control\$3 with signal\$1)	EPO; JPO;	
		and (MDL or (data adj line\$1) or	DERWENT;	
		(multiple\$1 with nine with bit\$1))) and	IBM_TDB	l i
		(array\$1 with block\$1 and segment\$1)) and		
		(number with bit\$1)		
-	977		USPAT;	2004/06/12
		((control\$4 with signal) or (SA and WD))	US-PGPUB;	12:54
		and bit\$1	EPO; JPO;	1
			DERWENT;	
		205 (000 00 00 50 51 105 11 3 3 3 4 5 41	IBM_TDB	2004/06/12
-	113		USPAT; US-PGPUB;	2004/06/12
		same block\$1 same segment\$1 and		12.50
		((control\$4 with signal) or (SA and WD))	EPO; JPO; DERWENT;	1
		and bit\$1	IBM TDB	
I _	58	365/230.03,63,51,185.11.ccls. and array\$1	USPAT;	2004/06/12
1 -	28	with block\$1 with segment\$1 and	US-PGPUB;	12:56
		((control\$4 with signal) or (SA and WD))	EPO; JPO;	
		and bit\$1	DERWENT;	
			IBM TDB	
_	83	((365/230.03,63,51,185.11.ccls. and	USPAT;	2004/06/12
		(array\$1 with even) and (array\$1 with	US-PGPUB;	13:06
		block\$1)) and	EPO; JPO;	
		(365/230.03,63,51,185.11.ccls. and ((SA	DERWENT;	
		or (sense adj amplifier)) and (WD or	IBM TDB	
		(write adj driver))))) and (MDL or (data	_	1
		adj line\$1) or (multiple\$1 with nine with		1
		bit\$1))		
-	31	1 ' ' '	USPAT;	2004/06/12
		(array\$1 with even) and (array\$1 with	US-PGPUB;	13:07
		block\$1)) and (control\$4 with signal)	EPO; JPO;	
		same (((SA or (sense adj amplifier)) and	DERWENT;	1
		(WD or (write adj driver))))) and (MDL	IBM_TDB	
		or (data adj line\$1) or (multiple\$1 with		
	<u> </u>	nine with bit\$1))	L	

	_			
-	81	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/12 14:32
		or (sense adj amplifier)) and (WD or (write adj driver)))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3	IBM_TDB	2004/25/12
-	3	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:24
	•	<pre>adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3 and (three with column) and (three with row)</pre>	·	
-	579	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and row and column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/12
-	490	(365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and row and column) and ((control\$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj driver)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:33
-	227	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and row and column) and ((control\$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj driver))))) and (MDL or (data adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12
-	3	(array\$1 with even) and (array\$1 with block\$1) and row and column) and ((control\$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj driver))))) and (MDL or (data adj line\$1)) and bit\$1 and activat\$3 and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:35
_	20	(quantity with bit\$1) (365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver)))) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12
-	3	l	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/12 13:43
-	37	365/230.03,63,51,185.11.ccls. and (array\$1 with block\$1) and segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/12 13:49
-	10	365/230.03,63,51,185.11.ccls. and (array\$1 with block\$1) with segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/12 13:53
-	21	365/\$.ccls. and (array\$1 with block\$1) with segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/12 13:55

	· · · · · · · · · · · · · · · · · · ·			
-	2	array\$1 and block\$1 and segment\$1 and (SA	USPAT;	2004/06/12
		and WD) and (nine with bit\$1) and input	US-PGPUB;	14:00
	1	and output	EPO; JPO;	
	1		DERWENT; IBM TDB	
_	1	array\$1 same block\$1 same segment\$1 and	USPAT;	2004/06/12
	1	(SA and WD) and (nine with bit\$1)	US-PGPUB;	14:02
		(1111 1111 112)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	15	array\$1 and block\$1 and (segment\$1 or	USPAT;	2004/06/12
		section) and (SA and WD) and (nine with	US-PGPUB;	14:05
		bit\$1)	EPO; JPO;	
			DERWENT;	· · · ·
	653	41 117 141 17	IBM_TDB	0004/06/10
_	653		USPAT;	2004/06/12 14:05
		section) and (SA or (sense with amplifier\$1)) and (nine with bit\$1)	US-PGPUB; EPO; JPO;	14:05
		ampilitelal) and (nine with bital)	DERWENT;	
			IBM TDB	
_	56	array\$1 same block\$1 same (segment\$1 or	USPAT;	2004/06/12
		section) and ((SA and WD) or ((sense with	US-PGPUB;	14:07
		amplifier\$1) and (write with driver)))	EPO; JPO;	
		and (nine with bit\$1) and (MDL or (data	DERWENT;	
		with line\$1))	IBM_TDB	
-	40	1	USPAT;	2004/06/12
		(segment\$1 or section) and ((SA and WD)	US-PGPUB;	14:36
		or ((sense with amplifier\$1) and (write	EPO; JPO;	
	•	with driver))) and (nine with bit\$1) and	DERWENT;	
	19	(MDL or (data with line\$1))	IBM_TDB USPAT;	2004/06/12
-	19	((365/230.03,63,51,185.11.ccls. and (array\$1 with	US-PGPUB;	14:35
1		block\$1)) and	EPO; JPO;	14.55
		(365/230.03,63,51,185.11.ccls. and ((SA	DERWENT;	
ĺ		or (sense adj amplifier)) and (WD or	IBM TDB	
	·	(write adj driver))))) and (MDL or (data	_	
		adj line\$1) or (multiple\$1 with nine with		
		bit\$1)) and activat\$3 and (nine with		
		bit\$1)		
-	81		USPAT;	2004/06/12
		(array\$1 with even) and (array\$1 with	US-PGPUB;	14:36
		block\$1)	EPO; JPO; DERWENT;	
		(365/230.03,63,51,185.11.ccls. and control\$4 and ((SA or (sense adj	IBM TDB	
		amplifier)) and (WD or (write adj	10.1_100	
		driver))))) and (MDL or (data adj		
		line\$1) or (multiple\$1 with nine with		
	1	bit\$1)) and activat\$3		
-	40	1	USPAT;	2004/06/12
	1	(segment\$1 or section) and ((SA and WD)	US-PGPUB;	14:37
	1	or ((sense with amplifier\$1) and (write	EPO; JPO;	
		with driver))) and (nine with bit\$1) and	DERWENT;	
		(MDL or (data with line\$1)) AND input and	IBM_TDB	
1_	21	output 365/230.03,63,51,185.11.ccls. and array\$1	USPAT;	2004/06/12
	"	same block\$1 same (segment\$1 or section)	US-PGPUB;	14:39
		and ((SA and WD) or ((sense with	EPO; JPO;	
		amplifier\$1) and (write with driver)))	DERWENT;	
		and (nine with bit\$1) and (MDL or (data	IBM_TDB	
		with line\$1)) and input and output		
-	53388		USPAT;	2004/08/02
		data\$1 or value\$1)	US-PGPUB;	12:04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/00
-	2176		USPAT;	2004/08/02
		near (bit\$1 or column\$1 or data\$1 or	US-PGPUB;	12:06
		value\$1)	EPO; JPO; DERWENT;	
1			IBM TDB]
	1	<u> </u>	1	<u> </u>

-	1258		USPAT;	2004/08/02
		output) same (nine or "9") near (bit\$1 or	US-PGPUB;	12:07
		column\$1 or data\$1 or value\$1)	EPO; JPO;	
			DERWENT:	
			IBM TDB	
-	27	365/230.03,206,207,185.03,185.11.ccls.	USPĀT;	2004/08/02
		and (control with circuit) same (input	US-PGPUB;	12:23
		and output) same ((nine or "9") near	EPO; JPO;	
		(bit\$1 or column\$1 or data\$1 or value\$1))	DERWENT;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM TDB	
_	103	365/\$.ccls. and (control with circuit)	USPAT;	2004/08/02
		same (input and output) same (nine or	US-PGPUB;	12:37
		"9") near (bit\$1 or column\$1 or data\$1 or	EPO; JPO;	
		value\$1)	DERWENT;	
		*	IBM TDB	
_	13	365/\$.ccls. and (memory with array\$1)	USPAT;	2004/08/02
		same (memory with block\$1) same (control	US-PGPUB;	12:37
		with circuit) same (input and output)	EPO; JPO;	
		same (nine or "9") near (bit\$1 or	DERWENT;	
		column\$1 or data\$1 or value\$1)	IBM TDB	
_	30		USPĀT;	2004/08/02
		(three adj row\$1) and (three adj	US-PGPUB;	12:42
		column\$1) and (control with circuit) and	EPO; JPO;	
		(input and output) and (nine or "9") near	DERWENT;	
		(bit\$1 or column\$1 or data\$1 or value\$1)	IBM TDB	
_	2	1 , ,	USPAT;	2004/08/02
		and (memory with array\$1) and (three adj	US-PGPUB;	12:44
		row\$1) and (three adj column\$1) and	EPO; JPO;	
	1	(control with circuit) and (input and	DERWENT;	
		output) and (nine or "9") near (bit\$1 or	IBM TDB	
		column\$1 or data\$1 or value\$1)	_	
_	2	i i i i i i i i i i i i i i i i i i i	USPAT;	2004/08/04
		row\$1) same (three adj column\$1) and	US-PGPUB;	12:49
		(control with circuit) and (input and	EPO; JPO;	
		output) and (nine or "9") near (bit\$1 or	DERWENT;]
		column\$1 or data\$1 or value\$1)	IBM TDB	